EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(compressed or thumbnail adj image$1)same reduced adj size same image$1 same(iris or eye or redeye)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:46
L2	1	L1 and @ad<"20030829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:00
L3	0	(compressed or thumbnail adj image$1)same reduced adj size same image$1 same (detect$1 or determining)same redeye adj pixel$1 same(areas or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:44
L4	0	(compressed or thumbnail adj image$1)and reduced adj size and image$1 and(detect$1 or determining)and redeye adj pixel$1 and(areas or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:43
L5	3	(detect$1 or determining)same redeye adj pixel$1 same(areas or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:45
L6	0	L5 and @ad<"20030829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:47
L7	15	(detect$1 or determining)and redeye adj pixel$1 and(areas or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:52
L8	9497	L7 and (compressed or thumbnail)image$1 same reduced adj size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:46
L9	0	L7 and (compressed or thumbnail)and image$1 same reduced adj size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:47

EAST Search History

L10	0	L7 and (compressed or thumbnail)and image$1 and reduced adj size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:47
L11	6	L7 and @ad<"20030829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:47
L12	12	(detect$1 or determining)and redeye adj pixel$1 same(areas or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:53
L13	0	(detect$1 or determining)and redeye adj pixel$1 same(areas or regions)same each adj pixel$1 same input adj image$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:53
L14	0	(detect$1 or determining)and redeye adj pixel$1 and(areas or regions)and each adj pixel$1 and input adj image$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:54
L15	0	input adj image$1 and lines adj of adj pixels with original adj color and redeye adj pixel$1 and(areas or regions)and each adj pixel$1 and input adj image$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:57
L16	7803	(sub adj sampling or subsampling)input adj image$1 same redeye adj pixel$1 and(areas or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:07
L17	1753213	(sub adj sampling or subsampling or reduction)input adj image$1 same redeye adj pixel$1 and(areas or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:59
L18	1	(sub adj sampling or subsampling or reduction)same input adj image$1 same redeye adj pixel$1 same(areas or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:00
L19	0	L18 and @ad<"20030829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:09

EAST Search History

L20	0	(sub adj sampling or subsampling or reduction)same input adj image$1 same replacement same(group or plurality)same pixel$1 adj values same (arbitrarily or interpolat$3)same (local or neighbourhoods)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:05
L21	415	(sub adj sampling or subsampling or reduction)and input adj image$1 and replacement and(group or plurality)and pixel$1 adj values and(arbitrarily or interpolat$3)and(local or neighbourhoods)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:08
L22	0	(sub adj sampling or subsampling or reduction)and input adj image$1 and replacement and(group or plurality)and pixel$1 adj values and(arbitrarily or interpolat$3)and(local or neighbourhoods)same redeye adj pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:08
L23	0	(sub adj sampling or subsampling or reduction)and input adj image$1 and replacement and(group or plurality)and pixel$1 adj values and(arbitrarily or interpolat$3)and(local or neighbourhoods)and redeye adj pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:08
L24	2	(sub adj sampling or subsampling or reduction)and input adj image$1 and replacement and(group or plurality)and pixel$1 adj values and(arbitrarily or interpolat$3)and(local or neighbourhoods)and redeye	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:23
L25	0	L24 and @ad<"20030829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:27
L26	1	(sub adj sampling or subsampling or reduction)and input adj image$1 and lines adj pixel$1 with original adj(color or colur)and values and redeye adj pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:20

L27	0	L26 and @ad<"20030829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:29
L28	1	(sub adj sampling or subsampling or reduction or thumbnail)and input adj image$1 and lines adj pixel$1 and original adj(color or colur)and values and redeye adj pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:21
L29	593	(sub adj sampling or subsampling or reduction)and input adj image$1 and replacement and(group or plurality)and pixel$1 and(arbitrarily or interpolat$3)and(local or neighbourhoods)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:29
L30	0	(sub adj sampling or subsampling or reduction)and input adj image$1 and replacement and(group or plurality)and pixel$1 and(arbitrarily or interpolat$3)and(local or neighbourhoods)same (detect$3 or determining)same redeye	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:25
L31	0	(sub adj sampling or subsampling or reduction)and input adj image$1 and replacement and(group or plurality)and pixel$1 and(arbitrarily or interpolat$3)and(local or neighbourhoods)same redeye	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:25
L32	0	(sub adj sampling or subsampling or reduction)and input adj image$1 and replacement and(group or plurality)and pixel$1 and(arbitrarily or interpolat$3)and(local or neighbourhoods)same redeye adj pixel same(area or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:26
L33	0	(sub adj sampling or subsampling or reduction)and input adj image$1 and replacement and(group or plurality)and pixel$1 and(arbitrarily or interpolat$3)and(local or neighbourhoods)and redeye adj pixel and(area or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:27

EAST Search History

L34	0	L29 and redeye adj pixel and(areas or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:27
L35	2	(sub adj sampling or subsampling or reduction)and input adj image$1 and replacement and(group or plurality)and pixel$1 and(arbitrarily or interpolat$3)and(local or neighbourhoods)and redeye	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:39
L36	0	L35 and @ad<"20030829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:27
L37	398	(calculat$3 or measur$5)and pixel$ and redness	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:47
L38	254	L37 and @ad<"20030829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:41
L39	0	L38 and(sub adj sampling or subsampling or reduction)and input adj image$1 and replacement and(group or plurality)and pixel$1 and(arbitrarily or interpolat$3)and(local or neighbourhoods)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:31
L40	31	L38 and(sub adj sampling or subsampling or reduction)and input adj image$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:38
L41	2	L40 and(sub adj sampling or subsampling or reduction)and input adj image$1 and replacement and(group or plurality)and pixel$1 and(arbitrarily or interpolat$3)and(select$3 or chosen)and pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:48

EAST Search History

L42	2	L41 and @ad<"20030829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:48
L43	97998	(comput$3 or calculat$3 or evaluat$3 or correct$3 or measur$4)and (redeye or camera or flash)and pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:47
L44	20408	(comput$3 or calculat$3 or evaluat$3 or correct$3 or measur$4)same(redeye or redness or camera or flash)same pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:47
L45	10	L44 and(calculat$3 or measur$5)same pixel$ adj redness	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:47
L46	5	L45 and @ad<"20030829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:48
L47	0	L46 and(sub adj sampling or subsampling or reduction or thumbnail)and replacement and(group or plurality)and pixel$1 and(arbitrarily or interpolat$3)and (select$3 or chosen)and pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:49
L48	2	L46 and(sub adj sampling or subsampling or reduction or thumbnail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:53
L49	2	L46 and(sub adj sampling or subsampling or reduction or thumbnail)same input adj image$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:53
L50	0	L46 and(sub adj sampling or subsampling or thumbnail)same input adj image$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:53

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(compressed or thumbnail adj image$1)same reduced adj size same image$1 same(iris or eye or redeye)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:46
L2	1	L1 and @ad<"20030829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:00
L3	0	(compressed or thumbnail adj image$1)same reduced adj size same image$1 same (detect$1 or determining)same redeye adj pixel$1 same(areas or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:44
L4	0	(compressed or thumbnail adj image$1)and reduced adj size and image$1 and(detect$1 or determining)and redeye adj pixel$1 and(areas or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:43
L5	3	(detect$1 or determining)same redeye adj pixel$1 same(areas or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:45
L6	0	L5 and @ad<"20030829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:47
L7	15	(detect$1 or determining)and redeye adj pixel$1 and(areas or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:52
L8	9497	L7 and (compressed or thumbnail)image$1 same reduced adj size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:46
L9	0	L7 and (compressed or thumbnail)and image$1 same reduced adj size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:47

EAST Search History

L10	0	L7 and (compressed or thumbnail)and image$1 and reduced adj size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:47
L11	6	L7 and @ad<"20030829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:47
L12	12	(detect$1 or determining)and redeye adj pixel$1 same(areas or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:53
L13	0	(detect$1 or determining)and redeye adj pixel$1 same(areas or regions)same each adj pixel$1 same input adj image$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:53
L14	0	(detect$1 or determining)and redeye adj pixel$1 and(areas or regions)and each adj pixel$1 and input adj image$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:54
L15	0	input adj image$1 and lines adj of adj pixels with original adj color and redeye adj pixel$1 and(areas or regions)and each adj pixel$1 and input adj image$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:57
L16	7803	(sub adj sampling or subsampling)input adj image$1 same redeye adj pixel$1 and(areas or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:07
L17	1753213	(sub adj sampling or subsampling or reduction)input adj image$1 same redeye adj pixel$1 and(areas or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:59
L18	1	(sub adj sampling or subsampling or reduction)same input adj image$1 same redeye adj pixel$1 same(areas or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:00
L19	0	L18 and @ad<"20030829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:09

L20	0	(sub adj sampling or subsampling or reduction)same input adj image$1 same replacement same(group or plurality)same pixel$1 adj values same (arbitrarily or interpolat$3)same (local or neighbourhoods)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:05
L21	415	(sub adj sampling or subsampling or reduction)and input adj image$1 and replacement and(group or plurality)and pixel$1 adj values and(arbitrarily or interpolat$3)and(local or neighbourhoods)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:08
L22	0	(sub adj sampling or subsampling or reduction)and input adj image$1 and replacement and(group or plurality)and pixel$1 adj values and(arbitrarily or interpolat$3)and(local or neighbourhoods)same redeye adj pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:08
L23	0	(sub adj sampling or subsampling or reduction)and input adj image$1 and replacement and(group or plurality)and pixel$1 adj values and(arbitrarily or interpolat$3)and(local or neighbourhoods)and redeye adj pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:08
L24	2	(sub adj sampling or subsampling or reduction)and input adj image$1 and replacement and(group or plurality)and pixel$1 adj values and(arbitrarily or interpolat$3)and(local or neighbourhoods)and redeye	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:23
L25	0	L24 and @ad<"20030829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:27
L26	1	(sub adj sampling or subsampling or reduction)and input adj image$1 and lines adj pixel$1 with original adj(color or colur)and values and redeye adj pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:20
L27	0	L26 and @ad<"20030829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:29

EAST Search History

L28	1	(sub adj sampling or subsampling or reduction or thumbnail)and input adj image$1 and lines adj pixel$1 and original adj(color or colur)and values and redeye adj pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:21
L29	593	(sub adj sampling or subsampling or reduction)and input adj image$1 and replacement and(group or plurality)and pixel$1 and(arbitrarily or interpolat$3)and(local or neighbourhoods)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:29
L30	0	(sub adj sampling or subsampling or reduction)and input adj image$1 and replacement and(group or plurality)and pixel$1 and(arbitrarily or interpolat$3)and(local or neighbourhoods)same (detect$3 or determining)same redeye	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:25
L31	0	(sub adj sampling or subsampling or reduction)and input adj image$1 and replacement and(group or plurality)and pixel$1 and(arbitrarily or interpolat$3)and(local or neighbourhoods)same redeye	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:25
L32	0	(sub adj sampling or subsampling or reduction)and input adj image$1 and replacement and(group or plurality)and pixel$1 and(arbitrarily or interpolat$3)and(local or neighbourhoods)same redeye adj pixel same(area or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:26
L33	0	(sub adj sampling or subsampling or reduction)and input adj image$1 and replacement and(group or plurality)and pixel$1 and(arbitrarily or interpolat$3)and(local or neighbourhoods)and redeye adj pixel and(area or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:27
L34	0	L29 and redeye adj pixel and(areas or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:27
L35	2	(sub adj sampling or subsampling or reduction)and input adj image$1 and replacement and(group or plurality)and pixel$1 and(arbitrarily or interpolat$3)and(local or neighbourhoods)and redeye	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:39

L36	0	L35 and @ad<"20030829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:27
L37	398	(calculat$3 or measur$5)and pixel$ and redness	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:47
L38	254	L37 and @ad<"20030829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:41
L39	0	L38 and(sub adj sampling or subsampling or reduction)and input adj image$1 and replacement and(group or plurality)and pixel$1 and(arbitrarily or interpolat$3)and(local or neighbourhoods)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:31
L40	31	L38 and(sub adj sampling or subsampling or reduction)and input adj image$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:38
L41	2	L40 and(sub adj sampling or subsampling or reduction)and input adj image$1 and replacement and(group or plurality)and pixel$1 and(arbitrarily or interpolat$3)and (select$3 or chosen)and pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:48
L42	2	L41 and @ad<"20030829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:48
L43	97998	(comput$3 or calculat$3 or evaluat$3 or correct$3 or measur$4)and (redeye or camera or flash)and pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:47
L44	20408	(comput$3 or calculat$3 or evaluat$3 or correct$3 or measur$4)same(redeye or redness or camera or flash)same pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:47

EAST Search History

L45	10	L44 and(calculat$3 or measur$5)same pixel$ adj redness	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:47
L46	5	L45 and @ad<"20030829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:48
L47	0	L46 and(sub adj sampling or subsampling or reduction or thumbnail)and replacement and(group or plurality)and pixel$1 and(arbitrarily or interpolat$3)and (select$3 or chosen)and pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:49
L48	2	L46 and(sub adj sampling or subsampling or reduction or thumbnail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:53
L49	2	L46 and(sub adj sampling or subsampling or reduction or thumbnail)same input adj image$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:57
L50	0	L46 and(sub adj sampling or subsampling or thumbnail)same input adj image$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:53
L56	0	L49 and (reduction or thumbnail)same input adj image$1 same(redeye or redness)same pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:58
L57	0	L49 and (compressed or reduction or thumbnail)same input adj image$1 same(redeye or redness)same pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:59
L58	2	L49 and (compressed or reduction or thumbnail)same input adj image$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:59

	U	1	Document ID	Issue Date	Pages	Title	Current OR
1			US 20040213476 A1	20041028	20	Detecting and correcting red-eye in a digital image	382/254
2			US 7116820 B2	20061003	20	Detecting and correcting red-eye in a digital image	382/167

	Current XRef	Retrieval Classif	Inventor	S	C	P	2	3	4	5
1			Luo, Huitao et al.	X						
2	382/117; 382/275		Luo; Huitao et al.	X						

	Image Doc. Displayed	PT
1	US 20040213476	
2	US 7116820	